



Office System / Panel

MULTIPLAN

The MULTIPLAN panel system is simple and economic, and it offers all the basic features and functions of a partition - workspace division, user privacy, durability, and configuration flexibility.





Frame



60mm thick MULTIPLAN Panel System has been built with the minimum width to house the power strip, which explains its slim design and at the same time confirms structural stability.



Exterior horizontal / vertical duct provides electric wires to be hidden from exposure and helps to bring out a clean and safe working environment.



To bring out an attractive finish the corner of the end finish has been smoothly rounded to give completeness of the design.

Hanging Component



Door of the hanging shelf is functioned smoothly by the gas cylinder process and is able to stay open on its own strength to add convenience to the customers.



Accessory Panel holds numerous types of accessories and is magnet attachable to add usefulness during business operations.




Hanging top fixed bracket has attached safety pin which prevents Hanging top to secede.

Item List

Standard Panel




H : 960mm (38")		H : 1160mm (46")		H : 1360mm (54")		H : 1560mm (62")		H : 1760mm (70")			
JFS0060	600 · 60 · 960 24" · 2 1/4" · 38"	JFS0062	600 · 60 · 1160 24" · 2 1/4" · 46"	JFS0064	600 · 60 · 1360 24" · 2 1/4" · 54"	JFS0066	600 · 60 · 1560 24" · 2 1/4" · 62"	JFS0068	600 · 60 · 1760 24" · 2 1/4" · 70"		
JFS0070	700 · 60 · 960 28" · 2 1/4" · 38"	JFS0072	700 · 60 · 1160 28" · 2 1/4" · 46"	JFS0074	700 · 60 · 1360 28" · 2 1/4" · 54"	JFS0076	700 · 60 · 1560 28" · 2 1/4" · 62"	JFS0078	700 · 60 · 1760 28" · 2 1/4" · 70"		
JFS0080	800 · 60 · 960 32" · 2 1/4" · 38"	JFS0082	800 · 60 · 1160 32" · 2 1/4" · 46"	JFS0084	800 · 60 · 1360 32" · 2 1/4" · 54"	JFS0086	800 · 60 · 1560 32" · 2 1/4" · 62"	JFS0088	800 · 60 · 1760 32" · 2 1/4" · 70"		
JFS0100	1000 · 60 · 960 40" · 2 1/4" · 38"	JFS0102	1000 · 60 · 1160 40" · 2 1/4" · 46"	JFS0104	1000 · 60 · 1360 40" · 2 1/4" · 54"	JFS0106	1000 · 60 · 1560 40" · 2 1/4" · 62"	JFS0108	1000 · 60 · 1760 40" · 2 1/4" · 70"		
JFS0120	1200 · 60 · 960 48" · 2 1/4" · 38"	JFS0122	1200 · 60 · 1160 48" · 2 1/4" · 46"	JFS0124	1200 · 60 · 1360 48" · 2 1/4" · 54"	JFS0126	1200 · 60 · 1560 48" · 2 1/4" · 62"	JFS0128	1200 · 60 · 1760 48" · 2 1/4" · 70"		



Half Glass Panel



H : 1360mm (54")		H : 1560mm (62")		H : 1760mm (70")		H : 1360mm (54")		H : 1560mm (62")		H : 1760mm (70")			
JFS0064H	600 · 60 · 1360 24" · 2 1/4" · 54"	JFS0066H	600 · 60 · 1560 24" · 2 1/4" · 62"	JFS0068H	600 · 60 · 1760 24" · 2 1/4" · 70"	JFS4084	800 · 60 · 1360 32" · 2 1/4" · 54"	JFS4086	800 · 60 · 1560 32" · 2 1/4" · 62"	JFS4088	800 · 60 · 1760 32" · 2 1/4" · 70"		
JFS0074H	700 · 60 · 1360 28" · 2 1/4" · 54"	JFS0076H	700 · 60 · 1560 28" · 2 1/4" · 62"	JFS0078H	700 · 60 · 1760 28" · 2 1/4" · 70"	JFS4104	1000 · 60 · 1360 40" · 2 1/4" · 54"	JFS4106	1000 · 60 · 1560 40" · 2 1/4" · 62"	JFS4108	1000 · 60 · 1760 40" · 2 1/4" · 70"		
JFS0084H	800 · 60 · 1360 32" · 2 1/4" · 54"	JFS0086H	800 · 60 · 1560 32" · 2 1/4" · 62"	JFS0088H	800 · 60 · 1760 32" · 2 1/4" · 70"	JFS4124	1200 · 60 · 1360 48" · 2 1/4" · 54"	JFS4126	1200 · 60 · 1560 48" · 2 1/4" · 62"	JFS4128	1200 · 60 · 1760 48" · 2 1/4" · 70"		
JFS0104H	1000 · 60 · 1360 40" · 2 1/4" · 54"	JFS0106H	1000 · 60 · 1560 40" · 2 1/4" · 62"	JFS0108H	1000 · 60 · 1760 40" · 2 1/4" · 70"								
JFS0124H	1200 · 60 · 1360 48" · 2 1/4" · 54"	JFS0126H	1200 · 60 · 1560 48" · 2 1/4" · 62"	JFS0128H	1200 · 60 · 1760 48" · 2 1/4" · 70"								




Magnetic Panel


Top 400mm (16") Glass Panel



H : 1160mm (46")		H : 1360mm (54")		H : 1560mm (62")		H : 1760mm (70")	
JFS0062S	600 · 60 · 1160 24" · 2 1/4" · 46"	JFS0064M	600 · 60 · 1360 24" · 2 1/4" · 54"	JFS0066M	600 · 60 · 1560 24" · 2 1/4" · 62"	JFS0068M	600 · 60 · 1760 24" · 2 1/4" · 70"
JFS0072S	700 · 60 · 1160 28" · 2 1/4" · 46"	JFS0074M	700 · 60 · 1360 28" · 2 1/4" · 54"	JFS0076M	700 · 60 · 1560 28" · 2 1/4" · 62"	JFS0078M	700 · 60 · 1760 28" · 2 1/4" · 70"
JFS0082S	800 · 60 · 1160 32" · 2 1/4" · 46"	JFS0084M	800 · 60 · 1360 32" · 2 1/4" · 54"	JFS0086M	800 · 60 · 1560 32" · 2 1/4" · 62"	JFS0088M	800 · 60 · 1760 32" · 2 1/4" · 70"
JFS0102S	1000 · 60 · 1160 40" · 2 1/4" · 46"	JFS0104M	1000 · 60 · 1360 40" · 2 1/4" · 54"	JFS0106M	1000 · 60 · 1560 40" · 2 1/4" · 62"	JFS0108M	1000 · 60 · 1760 40" · 2 1/4" · 70"
JFS0122S	1200 · 60 · 1160 48" · 2 1/4" · 46"	JFS0124M	1200 · 60 · 1360 48" · 2 1/4" · 54"	JFS0126M	1200 · 60 · 1560 48" · 2 1/4" · 62"	JFS0128M	1200 · 60 · 1760 48" · 2 1/4" · 70"




Connector



L-type connector	T-type connector	X-type connector	y-type connector	v-type connector
JFS5110 H: 960 (38")	JFS5210 H: 960 (38")	JFS5500	JFS5612 H: 1160 (46")	JFS5712 H: 1160 (46")
JFS5112 H: 1160 (46")	JFS5212 H: 1160 (46")			
JFS5114 H: 1360 (54")	JFS5214 H: 1360 (54")			
JFS5116 H: 1560 (62")	JFS5216 H: 1560 (62")			
JFS5118 H: 1760 (70")	JFS5218 H: 1760 (70")			

TS

Finish



End finish	Different height end finish	Different height end finish (For installation of counter surface)	T-type Different height post finish
JFS6010 H: 960 (38")	JFS6102 H: 200 (7 3/4")	JFS6102T H: 200 (7 3/4")	JFS6402 H: 200 (7 3/4")
JFS6012 H: 1160 (46")	JFS6104 H: 400 (16")	JFS6104T H: 400 (16")	JFS6404 H: 400 (16")
JFS6014 H: 1360 (54")	JFS6106 H: 600 (24")	JFS6106T H: 600 (24")	JFS6406 H: 600 (24")
JFS6016 H: 1560 (62")	JFS6108 H: 800 (32")	JFS6108T H: 800 (32")	JFS6408 H: 800 (32")
JFS6018 H: 1760 (70")			

TS

Item List


Panel Support



JFS8001

TS

Wall Fix Bracket



JFS8002
(2 per pack)

Shelf



Open shelf

IT3006J	600 · 360 · 195 24" · 14 1/8" · 7 3/4"
IT3008J	800 · 360 · 195 32" · 14 1/8" · 7 3/4"
IT3010J	1000 · 360 · 195 40" · 14 1/8" · 7 3/4"
IT3012J	1200 · 360 · 195 48" · 14 1/8" · 7 3/4"

TS



Overhead bin

JT3306	600 · 340 · 400 24" · 13 3/8" · 16"
JT3308	800 · 340 · 400 32" · 13 3/8" · 16"
JT3310	1000 · 340 · 400 40" · 13 3/8" · 16"
JT3312	1200 · 340 · 400 48" · 13 3/8" · 16"

WWTS

Counter Top



Rectangular

JT2004	400 · 30 · 360 16" · 1 1/8" · 14 1/8"
JT2006	600 · 30 · 360 24" · 1 1/8" · 14 1/8"
JT2007	700 · 30 · 360 28" · 1 1/8" · 14 1/8"
JT2008	800 · 30 · 360 32" · 1 1/8" · 14 1/8"
JT2010	1000 · 30 · 360 40" · 1 1/8" · 14 1/8"
JT2012	1200 · 30 · 360 48" · 1 1/8" · 14 1/8"


WW



Corner

JT2122	405 · 28 · 405 16" · 1" · 16"
--------	----------------------------------

Bracket



Support bracket for worksurface

JT8001K (2 PER PACK / L: 1, R: 1)

TS

Accessory Panel



Steel


JAS0006	600 · 200 · 15 24" · 7 3/4" · 1/2"
JAS0007	700 · 200 · 15 28" · 7 3/4" · 1/2"
JAS0008	800 · 200 · 15 32" · 7 3/4" · 1/2"
JAS0010	1000 · 200 · 15 40" · 7 3/4" · 1/2"
JAS0012	1200 · 200 · 15 48" · 7 3/4" · 1/2"

TS




Fabric

JAS0006F	600 · 200 · 15 24" · 7 3/4" · 1/2"
JAS0007F	700 · 200 · 15 28" · 7 3/4" · 1/2"
JAS0008F	800 · 200 · 15 32" · 7 3/4" · 1/2"
JAS0010F	1000 · 200 · 15 40" · 7 3/4" · 1/2"
JAS0012F	1200 · 200 · 15 48" · 7 3/4" · 1/2"




Hanging Worksurface (ABS edge)

• Worksurface




Wave

IT0008K(L/R)	800 · 600 / 700 32" · 24" / 28"
IT0010K(L/R)	1000 · 600 / 700 40" · 24" / 28"
IT0012K(L/R)	1200 · 600 / 700 48" · 24" / 28"



Rectangular

IT0116K	1600 · 600 63" · 24"
IT0118K	1800 · 600 71" · 24"



120°

IT5277K	2000 · 1205 79" · 48"
---------	--------------------------



Corner


IT5066K	1000 · 1000 40" · 40"
IT5077K	1200 · 1200 48" · 48"

• Support Panel




IT0100K(L/R)	500 · 200 · 100 20" · 7 3/4" · 3 1/8"
--------------	--

• Extension




U-type

IT912KJ	600 · 1200 · 720 24" · 48" · 29"
IT916KJ	800 · 1600 · 720 32" · 63" · 29"



Peanut type

IT926K(L/R)	800 · 800 · 720 32" · 32" · 29"
-------------	------------------------------------




D-type

IT912DKJ(L/R)	800 · 1200 · 720 32" · 48" · 29"
IT918DKJ(L/R)	800 · 1800 · 720 32" · 71" · 29"




Accessory




A4 tray

GA0101	320 · 235 · 28 12 1/2" · 9 1/4" · 1"
--------	---




Pen tray

GA0104	274 · 97 · 28 10 3/4" · 3 3/4" · 1"
--------	--



Clip holder

GA0103	80 · 87 · 21 3 1/8" · 3 3/8" · 3/4"
--------	--



Pen holder

GA0106	70 · 77 · 90 2 3/4" · 3" · 3 1/2"
--------	--------------------------------------

UG

• Power Strip

- Switch not available / Connection possible / Circuit breaker available

- Switch available / Connection not possible / Circuit breaker available



4-hole power strip(1+3)

CA3401N	L: 3m (Cable length)
CA3402N	L: 1m (Cable length)



6-hole power strip(1+5)

CA3301N	L: 3m (Cable length)
CA3302N	L: 1m (Cable length)



4-hole power strip(1+3)

CA3401S	L: 3m (Cable length)
CA3402S	L: 1m (Cable length)



6-hole power strip(1+5)

CA3301S	L: 3m (Cable length)
CA3302S	L: 1m (Cable length)



Horizontal duct

JA0206	W: 600 (24")
JA0207	W: 700 (28")
JA0208	W: 800 (32")
JA0210	W: 1000 (40")
JA0212	W: 1200 (48")



Vertical duct

JA0300	H: 200 (7 3/4")
--------	-----------------

DB

TS